



# **BERMUDA FIELDS 106**

Introducing Bermuda Lawn 106, our thickest synthetic turf, designed to provide an incredibly full and luxurious look.

Perfect for residential yards, commercial properties, and recreational areas, Bermuda Lawn 106 delivers exceptional durability while maintaining its lush appearance.







Product Details

BERMUDA FIELDS 106	
PRODUCT NAME	BERMUDA FIELDS 106
YARN COLOR	FIELD/OLIVE
GRASS DENIER	10400D/8F +3%
THATCH YARN / COLOR	GREEN/BEIGE
YARN SHAPE	W BALDE
PILE HEIGHT	1.65"
FACE WEIGHT	80 OZ +3%
TOTAL WEIGHT	105.1 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	25.1 OZ POLYURETHANE

COMMERCIAL GRADE









BERMUDA FIELDS 106	
FOOT TRAFFIC	
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS











# **PRO 100**

Introducing PRO 100 – The ultimate in softness, density, and luxurious feel.

Designed to deliver an incredibly plush experience underfoot, PRO 100 is our most indulgent synthetic turf yet. It offers exceptional density and a fluffy texture that feels amazing on your feet, making it perfect for residential yards, commercial properties, and recreational areas.







# Product Details

PRO 100		
PRODUCT NAME	PRO 100	
YARN COLOR	FIELD/LIME	
GRASS DENIER	7800D/12F +3%	
THATCH YARN / COLOR	FIELD	
YARN SHAPE	FLAT BLADE	
PILE HEIGHT	1.57"	
FACE WEIGHT	72 OZ	
TOTAL WEIGHT	98 OZ	
BACKING MATERIAL	DUAL LAYERED NON-EXP	
SECONDARY COATING	25.1 OZ POLYURETHANE	

COMMERCIAL GRADE









PRO 100	
FOOT TRAFFIC	• • • •
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS











# **BERMUDA LAWN 96**

Introducing Bermuda Lawn 96, our top-of-theline synthetic turf designed to deliver stunning curb appeal. This exceptional product offers a vibrant, lush appearance that will leave your neighbors wondering how your lawn looks so perfect all the time.

Ideal for residential landscapes, Bermuda Lawn 96 combines beauty with durability, ensuring your outdoor space stays flawless without the hassle of traditional lawn care.







# Product Details

BERMUDA LAWN 96	
PRODUCT NAME	BERMUDA LAWN 96
YARN COLOR	FIELD/LIME
GRASS DENIER	9700D/12F +3%
THATCH YARN / COLOR	FIELD
YARN SHAPE	W BLADE
PILE HEIGHT	1.65"
FACE WEIGHT	70 OZ
TOTAL WEIGHT	96 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	22.2 OZ POLYURETHANE

COMMERCIAL GRADE









BERMUDA LAWN 96	
FOOT TRAFFIC	
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS











### **NATURAL GRASS 89**

Introducing Natural Grass 89, our premium synthetic turf designed to replicate the look and feel of real grass. This innovative product offers a lush, natural appearance while providing the durability needed for high-traffic areas.

Perfect for residential lawns, commercial landscapes, and recreational spaces, Natural Grass 89 creates a welcoming environment for relaxation and play.







# Product Details

NATURAL GRASS 89	
PRODUCT NAME	NATURAL GRASS 89
YARN COLOR	GREEN/OLIVE/BEIGE
GRASS DENIER	10600D/12F +3%
THATCH YARN / COLOR	GREEN/BEIGE
YARN SHAPE	W BLADE
PILE HEIGHT	1.65"
FACE WEIGHT	62 OZ
TOTAL WEIGHT	89 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	26.5 OZ POLYURETHANE

COMMERCIAL GRADE









NATURAL GRASS 89	
FOOT TRAFFIC	
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS











# **BERMUDA 87**

Introducing Bermuda 87 – Our premium synthetic turf designed to replicate the look and feel of natural grass.

Bermuda 87 offers an authentic, lush appearance that's perfect for creating a realistic, green oasis. Ideal for residential lawns, commercial landscapes, and recreational spaces, Bermuda 87 creates a vibrant, welcoming environment for both relaxation and activity.







# Product Details

BERMUDA 87	
PRODUCT NAME	BERMUDA 87
YARN COLOR	FIELD/OLIVE
GRASS DENIER	7200D/6F +3%
THATCH YARN / COLOR	GREEN/LIME
YARN SHAPE	C BLADE
PILE HEIGHT	1.75"
FACE WEIGHT	60 OZ
TOTAL WEIGHT	87 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	27.0 OZ POLYURETHANE

COMMERCIAL GRADE









BERMUDA 87	
FOOT TRAFFIC	
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS









# **ALL-PLAY 83**

Introducing All-Play 83, our versatile synthetic grass designed for a wide range of applications. This premium turf combines a soft feel with exceptional durability, ensuring it maintains its great appearance while standing up to heavy use.

Perfect for residential yards, commercial spaces, and recreational areas, All-Play 83 provides a comfortable surface that invites play without compromising quality.







Product Details

ALL-PLAY 83	
PRODUCT NAME	ALL-PLAY 83
YARN COLOR	GREEN/LIME
GRASS DENIER	5600D/8F +3%
THATCH YARN / COLOR	GREEN/BEIGE
YARN SHAPE	C BLADE
PILE HEIGHT	1.5"
FACE WEIGHT	57 OZ
TOTAL WEIGHT	82.1 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	25.1 OZ POLYURETHANE

COMMERCIAL GRADE









ALL-PLAY 83	
FOOT TRAFFIC	
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS









### PET PLAY 80

Introducing Pet Play 80, our premium synthetic grass designed specifically for pets. Its rugged design allows for easy clean-up and extreme durability.

With our impressive 16-year warranty, you can trust that Pet Play 80 will withstand the wear and tear of playful paws, making it the ideal choice for pet parks, backyards, and any space where your pets can run and play freely.







# **Product Details**

PET PLAY 80	
PRODUCT NAME	PET PLAY 80
YARN COLOR	FIELD GREEN /LIME
GRASS DENIER	10200D/8F +3%
THATCH YARN / COLOR	GREEN/BEIGE
YARN SHAPE	W BLADE
PILE HEIGHT	1.5"
FACE WEIGHT	53 OZ
TOTAL WEIGHT	79.5 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	26.5 OZ POLYURETHANE

COMMERCIAL GRADE









PET PLAY 80	
FOOT TRAFFIC	
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS









### **PRO 75**

PRO 75 is engineered for both beauty and performance. Designed with a rugged yet soft construction, this turf delivers the perfect balance of durability and comfort, making it ideal for lawns, landscapes, and high-traffic play areas.

Featuring an ultra-soft 1.25" pile height, Pro 75 provides a lush, natural look and feel while maintaining superior resilience under daily use. With a powerful drainage rate of 900 inches per hour, clean-up is quick and easy, keeping your space dry, fresh, and petfriendly.







# **Product Details**

PRO 75	
PRODUCT NAME	PRO 75
YARN COLOR	FIELD GREEN / OLIVE
GRASS DENIER	5600D/8F +3%
THATCH YARN / COLOR	GREEN/OLIVE
YARN SHAPE	C BLADE
PILE HEIGHT	1.25"
FACE WEIGHT	49 OZ
TOTAL WEIGHT	75 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	26 OZ DUAL-LAYER WOVEN POLYPROPYLENE

COMMERCIAL GRADE










PRO 75	
FOOT TRAFFIC	• • • • •
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>900 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS









# **KIDS PLAY 73**

PRO 75 is engineered for both beauty and performance. Designed with a rugged yet soft construction, this turf delivers the perfect balance of durability and comfort, making it ideal for lawns, landscapes, and high-traffic play areas.

Featuring an ultra-soft 1.25" pile height, Pro 75 provides a lush, natural look and feel while maintaining superior resilience under daily use. With a powerful drainage rate of 900 inches per hour, clean-up is quick and easy, keeping your space dry, fresh, and petfriendly.







# **Product Details**

KIDS PLAY 73	
PRODUCT NAME	PRO 75
YARN COLOR	FIELD GREEN / OLIVE
GRASS DENIER	5600D/8F +3%
THATCH YARN / COLOR	GREEN/OLIVE
YARN SHAPE	C BLADE
PILE HEIGHT	1.25"
FACE WEIGHT	49 OZ
TOTAL WEIGHT	75 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	26 OZ DUAL-LAYER WOVEN POLYPROPYLENE

COMMERCIAL GRADE









KIDS PLAY 73	
FOOT TRAFFIC	••••
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>900 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS









# **GREEN APPLE**

Green Apple Pro 75 is engineered for both beauty and performance. Designed with a rugged yet soft construction, this turf strikes the perfect balance of durability and comfort, making it an ideal choice for residential lawns, landscapes, and high-traffic play areas.

With its ultra-soft 1.25" pile height, Green Apple Pro 75 offers a lush, natural look and feel while maintaining superior resilience under daily use.







# **Product Details**

GREEN APPLE	
PRODUCT NAME	GREEN APPLE
YARN COLOR	FIELD GREEN / OLIVE
GRASS DENIER	11,500D/8F +3%
THATCH YARN / COLOR	GREEN/OLIVE
YARN SHAPE	W BLADE
PILE HEIGHT	1.25"
FACE WEIGHT	48 OZ
TOTAL WEIGHT	74 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	26 OZ DUAL-LAYER WOVEN POLYPROPYLENE

COMMERCIAL GRADE









PRO 75	
FOOT TRAFFIC	• • • • •
ANTI-STATIC	PASS
TURF BIND	12>N
LEAD LEVELS	<0.01 PPM
WEq3eE#Ee3	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600 IN/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS











# **BIRDIE 55**

Birdie 55 Putting Green is crafted for golfers who demand precision, consistency, and a natural roll. Engineered with a low-pile design, this turf provides the perfect speed and ball response, making it ideal for both residential backyards and commercial training facilities. Featuring a true-to-life 0.63" pile height, Birdie 55 delivers a smooth, even surface that mimics professional greens.

Its durable yet realistic construction ensures long-lasting play, while advanced drainage keeps your green ready for action—even after heavy rain.







# Product Details

BIRDIE 55	
PRODUCT NAME	BIRDIE 55
YARN COLOR	FIELD GREEN
GRASS DENIER	6600D/8F +3%
THATCH YARN / COLOR	GREEN/OLIVE
YARN SHAPE	S BLADE
PILE HEIGHT	0.63"
FACE WEIGHT	500Z/SQ.YD +5%
TOTAL WEIGHT	73 OZ
BACKING MATERIAL	DUAL LAYERED NON-EXP
SECONDARY COATING	23 OZ DUAL-LAYER WOVEN POLYPROPYLENE

COMMERCIAL GRADE









BIRDIE 55	
FOOT TRAFFIC	••••
ANTI-STATIC	PASS
TURF BIND	45>N
LEAD LEVELS	<0.01 PPM
FLAMMABILITY (PILL TEST)	PASS
FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
GRAB STRENGTH	PASS
ADA WHEELCHAIR	COMPLIANT
WATER PERMEABILITY	>600/HR
FIRE TEST (ROOF DECKS)	CLASS A
SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
IMPACT ATTENUATION	PASS
WARRANTY	16 YEARS



